WWW.DURITE.CO.UK

DURITE®

BUILD YOUR VEHICLE SAFETY SYSTEM

SPECIALIST CCTV KITS AND VEHICLE SAFETY CATALOGUE

DURITE CCTV KITS AND VEHICLE SAFETY

Durite vehicle safety equipment increases the drivers' awareness of their environment and enables them to reverse and manoeuvre more safely by improving visibility, reducing blind spots and warning pedestrians and cyclists.

WITH REGULATIONS ALWAYS EVOLVING, DURITE HELPS YOU STAY COMPLIANT.

Under FORS and CLOCS guidelines, vehicles over 3.5T must have blind spots minimalised as far as practical and prominent signage must be displayed on the rear of the vehicle.

Durite offers a comprehensive range of high quality equipment suitable for both 12V and 24V vehicles.

OUR VEHICLE SAFETY SOLUTION

MIRRORS See page 10

CCTV MONITOR See page 4
DVR See page 6
DASH CAMS See page 7
FRONT CAMERAS See page 8

BLIND SPOT SYSTEM See page 9
SIDE CAMERAS See page 8

REAR CAMERAS See page 8
BACK UP ALARMS See page 11
WARNING SIGNS See page 11

DURITE®

APPLICATIONS

- TRUCKS
- VANS
- ARTICULATED LORRIES
- WASTE VEHICLES
- BUSES
- AGRICULTURAL
- CONSTRUCTION
- EMERGENCY

MIRRORS See page 10

CCTV MONITOR See page 4
DVR See page 6
DASH CAMS See page 7
FRONT CAMERAS See page 8
BLIND SPOT SYSTEM See page 9

REAR CAMERAS See page 8
BACK UP ALARMS See page 11
WARNING SIGNS See page 11

> "QUALITY, RELIABILITY, AFFORDABLE VALUE AND HIGH LEVELS OF SERVICE ARE AT THE CORE OF EVERYTHING WE DO."

STEP+1

SELECT A CAMERA MONITORING SYSTEM

WHY CHOOSE A DURITE CCTV KIT?

- 7",5" and QUAD kits, with wired or wireless options
- 12V/24V kits fit most vehicles
- Best camera technology for day and night vision
- High resolution TFT-LCD monitor
- 20m shielded cable for robust installation
- Waterproof connectors
- Automatic Day/Night mode
- Side/Rear view automatic switch

0-776-27
7" Camera kit

BEST-IN-CLASS 5"/ 7" KITS

0-776-25 | 5" Camera kit

0-776-27 | 7" Camera kit

0-776-37 | 7" QUAD camera kit with viewing angles for up to 4 different cameras.*

TECHNICAL SPECIFICATIONS

MONITOR	
Display Device	Colour TFT-LCD
Size	5" or 7" monitors
Resolution	640px x 480px RGB (5" monitor) 800px x 480px RGB (7" monitor)
Power Consumption	5W max
Power Supply	12V/24V DC
Viewing Angle (LR/UD)	140/130 degrees (5" monitor) 140/120 degrees (7" monitor)
Connectors	4-pin aviation connectors
Channels	Up to 2 channels (5" and 7" kits) Up to 4 channels (7" QUAD only)

CAMERA	
Lens	f2.9mm
Pick-up element	1/3" Sharp CCD Image Sensor
Sensitivity	0 Lux with IR on
Electronic Shutter	Auto
AGC	Auto
Protection	IP66

*Kits include one camera only

> OUR BEST-IN-CLASS REVERSING CAMERA KITS ALLOW DRIVERS TO REVERSE MORE SAFELY BY IMPROVING VISIBILITY AND REDUCING BLIND SPOTS.

DURITE®

WIRELESS KITS

Use Durite 12V/24V wireless kits for an even quicker and easier installation.

0-776-41 | 7" Wireless Camera Kit

0-776-39 | 5" Wireless Camera Kit

- Built-in wireless receiver with a range of 100m
- 1/3" CMOS camera protected to IP69K, withstands pressure wash
- Digital signal not affected by interference from other vehicles or equipment
- Split screen / Alternate camera view from Cam 1 to Cam 2*

> QUICK AND EASY INSTALLATION, NO CABLES NEEDED BETWEEN THE MONITOR AND THE CAMERA.

MIRROR MONITOR

Use our 12V/24V mirror kit for a discreet fit.

0-776-47 | 7" Rear View Mirror CCTV Kit

- Perfect for vans and small trucks
- Easy installation
- Fits mirrors between 63.5mm and 82mm high

> DISCREET, DURITE'S MIRROR MONITOR CLIPS ONTO EXISTING REAR VIEW MIRROR.

STEP+2

MONITOR YOUR FLEET SAFETY WITH DURITE MOBILE DVR

0-776-00
4-Channel 12V/24V
Mobile DVR with GPS

WHY CHOOSE A DURITE DVR?

- Hardware and software protected, lockable cover plus password protection to prevent unauthorised changes
- Motion detection / Built-in G (shock) sensor
- Built-in GPS with Google maps to pinpoint location and speed monitoring
- Loop recording, overwrites old recording when micro SD card is full
- Stores video and audio from up to 4 cameras
- Records up to 765 hours / 1 month onto 2 x 128 GB SD cards (not included)

> **DURITE'S DVR CAN RECORD IN 960H HIGH DEFINITION. THIS PRODUCES A LARGER AND CLEARER IMAGE COMPARED TO STANDARD D1 RESOLUTION.**

D1 | 720px X 480px

960H | 960px X 480px

TECHNICAL SPECIFICATIONS

Power Supply	12V/24V
Power Consumption	8W
Video Input	4 Channels
Video Output	NTSC
Video Standard	25FPS PAL / 30FPS NTSC
Password Protected	Yes
Recording Functions	960H, D1, HD1, CIF
Storage Facility	2 x 128GB SD Cards (Not included)
G Sensor	Yes
GPS	Yes (Includes playback software CD)
Motion Detection	Yes
Weight	0.6Kg
AGC	Auto
Dimensions	L 137 X W 132 X H 40mm

If a vehicle is allocated to a specific driver, this will count as personal information under data protection law - **Data Protection Act 1998**

DURITE®

DASH CAMS

Do you only need a compact, yet powerful Dash Cam?

- 1.5” digital screen to help set the camera direction
- GPS aerial to pin point location & monitor speed
- Loop recording, overwrites old recording when micro SD card is full
- Motion detection/G-sensor automatically locks the recording in case of road traffic accident
- 170º Ultra-wide viewing angle
- Easy installation, stick-on windscreen or suction pad

Small design

0-776-60
1.5” HD Dash camera with GPS 12V/24V

> SMALL AND COMPACT, DURITE’S 1.5” FULL HD DASH CAM WILL FIT BEHIND MOST REAR VIEW MIRRORS, THUS DOESN’T CREATE OBSTRUCTION.

> VEHICLE MONITORING TECHNOLOGY ALLOWS EMPLOYERS TO MONITOR COMPANY CARS AND DELIVERY VEHICLES. DEVICES CAN RECORD THE LOCATION OF A VEHICLE, THE DISTANCE IT HAS COVERED AND INFORMATION ABOUT THE USER’S DRIVING HABITS.

Information Commissioner’s Office

TECHNICAL SPECIFICATIONS

Built-in Imaging Sensor	3 Megapixels
Video Output	HD & FHD
Video Standard	30FPS@FHD / 60FPS@HD
Video Output Mode	NTSC/PAL
Max Memory Card Capacity	32GB
Certificate	CE

STEP+3
CUSTOMISE YOUR KIT WITH DURITE

SELECT YOUR ADDTIONAL CAMERAS

REAR & FRONT CAMERAS

1. **0-776-21**
   INFRARED CAMERA WITH SOUND
   IP66, 1/3" CCD
   L 76 x W 84 x H 70mm

2. **0-776-23**
   WIRELESS INFRARED CAMERA WITH SOUND
   IP69K, 1/3" CMOS
   L 106 x W 70.4 x H 75mm

SIDE CAMERAS

1. **0-776-22 INFRARED SIDE CAMERA**
   IP69K, 1/3" CCD
   L 75 x W 90 x H 33mm

2. **0-776-13 INFRARED SIDE CAMERA**
   IP68, 1/3" CMOS
   L 69 x W 123 x H 65mm

3. **0-776-05 COMPACT UNIVERSAL CAMERA**
   IP67, 1/5" CMOS
   L 36 x W 45 x H 33mm

INTERIOR CAMERAS

1. **0-776-04**
   DOME CAMERA
   Ø 100mm

2. **0-776-03**
   MINIATURE CAMERA
   Ø 24 x L 42mm

OVERDOOR CAMERAS

0-776-07
OVERDOOR INFRARED CAMERA
L 212mm

SELECT YOUR EXTRA CABLES

0-775-21 1m cable
0-775-23 3m cable
0-775-25 5m cable
0-775-10 10m cable
0-775-14 15m cable
0-775-19 20m cable

EASILY MOUNT YOUR MONITOR

0-776-98
SELF-ADHESIVE FAN BRACKET
for 5" and 7" monitors

FIT YOUR CCTV KIT TO AN ARTICULATED LORRY WITH THE DURITE SUZIE CABLE KIT.

0-776-95 SUZIE CABLE KIT
Includes 10m cable, 3.5m Suzie cable, 0.3m cable to join Suzie cable to extension cable to the camera on the trailer.



STEP+4

IMPROVE SAFETY WITH A DURITE BLIND SPOT DETECTION SYSTEM

0-870-00
BLIND SPOT DETECTION SYSTEM

Visual display

Visual indicators

6 x Sensors

Control box

Internal buzzers

> 18% OF ALL ACCIDENTS OCCUR ON THE LEFT SIDE OF A VEHICLE, 32% OCCUR ON THE RIGHT SIDE*. DURITE BSD SYSTEM COVERS BOTH.
>
> *STATS19 UK POLICE ACCIDENT DATABASE

DURITE BLIND SPOT DETECTION SYSTEM

- Scans both the left and right sides
- Includes 6 sensors
- Detection adjustable distance between 0.3M and 3.0M
- For 24V vehicles up to 8m in length
- Adjustable sensor sensitivity reduces false detection
- Sensors can be used permanently or only when the indicator signal is triggered
- Sensors can be recess or surface fitted

HOW DOES IT WORK?

DURITE BSD SYSTEM INCLUDES 6 SENSORS WHICH USE ULTRASONIC TECHNOLOGY TO DETECT OBJECTS WITHIN THE BLIND SPOT ZONES.

If an object is detected the LED display shows the distance from the vehicle, the in-cabin buzzer sounds and one of the alert lights fitted to the A pillars flashes on the side of the detection.

STEP+5
SEE & WARN WITH DURITE MIRRORS AND SIGNS

MIRRORS

1 **CLASS II MIRROR**
PLAIN REAR VIEW

0-771-00
362 x 174mm

0-770-04
177 x 127mm

0-771-04
254 x 152mm

2 **CLASS VI MIRROR**
FRONT PROTECTION

0-770-08
293 x 210mm

0-770-09
225mm diameter

3 **CLASS IV MIRROR**
WIDE ANGLE REAR VIEW

0-770-00
193 x 193mm

4 **CLASS V MIRROR**
SIDE CLOSE PROXIMITY

0-770-07
240 x 155mm

> ACCORDING TO CLOCS VEHICLES OVER 3.5T MUST BE FITTED WITH CLASS V AND CLASS VI MIRRORS GIVING THE DRIVER A BETTER VIEW OF CYCLISTS AND PEDESTRIANS.

WARNING SIGNS

0-870-50
BLIND SPOT TAKE CARE LANDSCAPE (A4)

0-870-51
BLIND SPOT TAKE CARE PORTRAIT (A4)

> UNDER CLOCS GUIDELINE 3.2.1 PROMINENT SIGNAGE MUST BE FITTED TO THE REAR OF ALL VEHICLES OVER 3.5T VISUALLY WARNING ROAD USERS NOT TO GET TOO CLOSE TO THE VEHICLE.

DURITE®

STEP+6

BE HEARD WITH DURITE ALARMS

> ACCORDING TO FORS AND CLOCS GUIDELINES, ENHANCED AUDIBLE SYSTEMS THAT WARN OTHER ROAD USERS ARE RECOMMENDED FOR WHEN VEHICLES ARE REVERSING.

HEAVY-DUTY 97dB

0-564-00 12V-48V, steam cleanable
0-564-01 12V/24V, steam cleanable
0-564-05 12V/24V, steam cleanable, with night silent

MULTI FREQUENCY 87dB

0-564-11 12V/24V

STANDARD 97dB

0-564-02 12V-48V

GREAT VALUE 105dB

0-561-12 12V
0-561-24 24V
0-561-62 12V with night silent mode
0-561-74 24V with night silent mode

EXTRA HEAVY-DUTY 112dB

0-564-25 12V/24V, steam cleanable

DURITE

QUALITY.
RELIABILITY.
AFFORDABILITY.

WWW.DURITE.CO.UK +44 (0) 1255 555200 SALES@DURITE.CO.UK

GORDON EQUIPMENTS LIMITED, DURITE WORKS,
VALLEY ROAD, DOVERCOURT, ESSEX. CO12 4RX. ENGLAND

DURITE IS ACCREDITED ISO9001:2008